

ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com W: http://www.climaac.com

King Clima Industry Electric AC







ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com W: http://www.climaac.com

E: info@kingclima.com E: info@climaac.com

Edited in 2019 Version and updated info will be informed in website news.



1



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@climaac.com
E: info@climaac.com

King Clima Parking Air Conditioners Brief Catalog

Series	Photo	Model	Cooling Capacity	Installation Example	Specification	Unique Feature
		E-Clima1200	1200W/4000BTU	VOLVO WEST	Voltage: DC12V/24V Cooling: 1200W/4000BTU Installation Type: Rooftop Mounted Evaporator Air Volume:700m³/h Condenser Air Volume:1800m³/h Refrigerant:R134a Size: 745*856*180mm Vehicle Applications: all kinds of cabs	Small types, for the small cabs.
E-Clima		E-Clima2200	2200W/7500BTU		Voltage: DC12V/24V Cooling:2200W/7500BTU Installation Type: Rooftop Mounted Evaporator Air Volume:650m³/h Condenser Air Volume:1050m³/h Refrigerant:R134a Size: 700*580*263mm Vehicle Applications: all kinds of cabs	Reliable and very high quality.

3



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@climaac.com
E: info@climaac.com

	E-Clima3000	3000W/10000BTU		Voltage: DC12V/24V Cooling: 3000W/10000BTU Installation Type: Rooftop Mounted Evaporator Air Volume:700m³/h Condenser Air Volume:1400m³/h Refrigerant:R134a Size: 885*710*290mm Vehicle Applications: all kinds of cabs	Reliable and very high quality.
	E-Clima4000	4000W/14000BTU		Voltage: DC12V/24V Cooling: 4000W/14000BTU Installation Type: Rooftop Mounted Evaporator Air Volume:650m³/h Condenser Air Volume:1050m³/h Refrigerant:R134a Size: 700*580*263mm Vehicle Applications: all kinds of cabs	Very beautiful appearance, large cooling.
	E-Clima6000	6000W/20472BTU	SALES CONTRACTOR OF THE PROPERTY OF THE PROPER	Voltage: DC12V/24V Cooling: 6000W/20472BTU Installation Type: Rooftop Mounted Evaporator Air Volume:650m³/h Condenser Air Volume:1700m³/h Refrigerant:R134a Size: Evaporator: 1580*385*180 (with air ducting) condenser: 920*928*250 mm	Direct engine or DC powered for choice.



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@climaac.com
E: info@climaac.com

					Vehicle Applications: all kinds of cabs	
		E-Clima2600S	2600W/8870BTU		Voltage: DC12V/24V Cooling: 2600W/8870BTU Installation Type: Split back wall Mounted Evaporator Air Volume:450m³/h Condenser Air Volume:1400m³/h Refrigerant:R134a Size: 682*465*192 (condenser) 540*362*165m(evaporator) Vehicle Applications: all kinds of cabs	Back wall mounted, reliable and high quality.
CoolPro	KINGCLIMA C	CoolPro2800	2800W/9500BTU	E KINGCLIMA TOTAL TOTAL	Voltage: DC12V/24V Cooling: 2800W/9500BTU Installation Type: Rooftop Mounted Evaporator Air Volume:650m³/h Condenser Air Volume:1800m³/h Refrigerant:R134a Size: 900*804*160mm Vehicle Applications: all kinds of cabs	High cost performance, hot sale and most customers choice.



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@climaac.com
E: info@climaac.com

	CoolPro2300	2300W/7800BTU	SHOT ON MISS WWW.kindclima.com	Voltage: DC12V/24V Cooling: 2300W/7800BTU Installation Type: Rooftop Mounted Evaporator Air Volume:400m³/h Condenser Air Volume:1800m³/h Refrigerant:R134a Size: 790*865*185mm Vehicle Applications: all kinds of cabs	Very economical and affordable, most customers can afford it.
	CoolPro2800H	2800W/9500BTU	KINGCLIMA WWW.Infpolime.com	Voltage: DC12V/24V Cooling: 2800W/9500BTU Installation Type: split back wall Mounted Evaporator Air Volume:560m³/h Condenser Air Volume:2300m³/h Refrigerant:R134a Condenser Size: 480*310*400mm Evaporator Size: 460*160*320mm Vehicle Applications: all kinds of cabs	Back wall split, competitive price.
	CoolPro2800B	2800W/9500BTU		Voltage: DC12V/24V Cooling: 2800W/9500BTU Installation Type: split back wall Mounted Evaporator Air Volume:560m³/h Condenser Air Volume:2600m³/h Refrigerant:R134a Condenser Size: 480*310*400mm Evaporator Size: 460*160*320mm	Many colors for choice, competitive price.



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@climaac.com
E: info@climaac.com

				Vehicle Applications: all kinds of cabs	
		CoolPro2800S	2800W/9500BTU	Voltage: DC12V/24V Cooling: 2800W/9500BTU Installation Type: Rooftop split Mounted Evaporator Air Volume:560m³/h Condenser Air Volume:1800m³/h Refrigerant:R134a Condenser Size:840*510*190mm Evaporator Size:460*160*320mm Vehicle Applications: all kinds of cabs	Rooftop split mounted, make the installation very easy.
GoCooler	C respective	Go-cooler 2600V-400	2600W/8800BTU	Voltage: DC12V/24V Cooling:2600W/8800BTU Installation Type: in-cab Mounted, movable, portable Evaporator Air Volume:750m³/h Condenser Air Volume:1800m³/h Refrigerant:R134a Size: 400*140*580 mm Vehicle Applications: all kinds of cabs	Movable, portable and in cab no need install.



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@climaac.com
E: info@climaac.com

C rows (see	Go-cooler 2600V-425	2600W/8800BTU		Voltage: DC12V/24V Cooling:2600W/8800BTU Installation Type: in-cab Mounted, movable, portable Evaporator Air Volume:700m³/h Condenser Air Volume:1800m³/h Refrigerant:R134a Size: 425*180*580 mm Vehicle Applications: all kinds of cabs	Movable, portable and in cab no need install.
Comment	Go-cooler 2600V-580	2600W/8800BTU	O O CAST	Voltage: DC12V/24V Cooling:2600W/8800BTU Installation Type: in-cab Mounted, movable, portable Evaporator Air Volume:700m³/h Condenser Air Volume:1800m³/h Refrigerant:R134a Size: 580*120*580 mm Vehicle Applications: all kinds of cabs	Movable, portable and in cab no need install.



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com
W: http://www.climaac.com
E: info@climaac.com

▲ Rooftop mounted

1. Integrated types

CoolPro2300/2800 Model

CoolPro series, cooling capacity is 2300W and 2800W, both have the 12V and 24V voltage for choice, the unique feature is the size of CoolPro2300/2800, to suit the truck skylight, so no need to drill a hole in cabs.



Model	CoolPro2300
Voltage	DC12V/24V
Installation Types	Roof Integrated Mounted
Air Flow	250-450m³ /h
Power	300-1200W
Cooling Capacity	2300W
Control Model	Smart Variable frequency
Size (L*W*H)	790*865*185mm
Application	All kinds of truck cabs

		CoolPro2800 Technical Data / Parameters		
Dimen	sions	900*804*160		
Air V	olume	$250-650 \text{m}^3 / \text{h}$		
Wei	ght	27. 69KG		
Time of e	endurance	10 hours (Intelligent frequency control)		
Contro	1 mode	PWM		
Low voltage	e rotection	19-22V		
Refrig	gerant	R134a550g		
	Compressor	Volts: DC24V , CC : 20cm³/r, Rated speed: 1000-4000rpm		
	Condenser	Parallel flow, Double fin, Dimensions: 464*376*26		
Core component	Fan	Brushless, Rated Voltage: DC24V, Power: 100W, Air Volume: 1300m³/h		
	Evaporator fan	Tupe belt type, Dimension: 475*76*126, Cooling capacity ≥5000W		
	Blower	Brushless, Roated Volume: DC24V, Power: 80W, Max:3600r/min		

$\underline{\texttt{E-Clima1200/2200/3000/4000 Models}}$

E-Clima series have the very stable working performance, it is the most of aftermarket choice. The unique feature is the very beautiful appearance and lots of cooling capacity for choice.



Models	E-Clima1200		
Voltage	DC12V/24V		
Cooling Capacity	100	00W	
Compressor	Brus	hless	
Refrigerant	R134a		
Fan	Туре	Axial	
Fan	Air Flow	1800m³/h	
Diamer	Туре	Centrifugal	
Blower	Air Flow 700m³/h		
Weight		1KG	

Model	E-clima3000
Voltage	DC24V
Rated Cooling Current	39.4A
Rated heating Current	37.5A
Cooling capacity	3000W/10350BTU
Heating capacity	2000W/6900BTU
Rated Cooling Power	940W
Rated heating Power	900W
Compressor	Brushless Electric scroll compressor
Evaporator blower air vol.	700m3/h
Condenser fan air vol.	1400m3/h
Refrigerant/Volume	R134a
Refrigerant Charging Weight	540g
Compressor Oil / Weight	RL-68H
Dimensions	885*710*290mm
Weight	35kg
Vehicle Applications	All trucks, construction machinery , tractor etc.

M	lodel	E-Clima 2200
Vo	ltage	12 V/24V
Cooling	g capacity	2200W/ 7600BTU
Po	ower	600W - 860W
	Model	Rotary Compressor
Compressor	Displacement	18cc/r
Compressor	Rotate Speed	1500 - 4500rpm
Evaporator	blower air vol.	650m3/h
Condense	er fan air vol.	1050m3/h
Refrigera	ant/Volume	R134a/330g
Dim	ensions	700*580*263mm
Cut off Size		32kg
Weight		32kg
Vehicle A	Applications	All trucks, construction machinery, tractor etc.

	Model	Eclima-4000
Cool	ing Capacity	4000W/13800BTU
Dri	ven Mode	Battery Driven Unit
Inst	alling Type	Mono-Block & Rooftop Mounted
Compr	essor Voltage	DC12V/24V/48V/60V/72V etc.
Total (Current Rating	≤85A (DC12V) 45A ~ 55A(DC24V)
Evaporator	Blower Air Volume	650m3/h
Condense	r Fan Air Volume	1700m3/h
Co	mpressor	18cc/r or 27cc/r
Dimensions	Evaporator	
(mm) Condenser		1055×800×206
Re	efrigerant	R134a, 1kg
Suita	ıble vehicles	All truck cabins, construction machinery and electric vehicles
Optional	Parts & Function	Wireless Controller& Heating Function









ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com W: http://www.climaac.com

2. Split Types

CoolPro2800S Model

For the most of rooftop mounted ac, it only have one piece(integrated) model, so drivers have to cut the hole to install ac. But for CoolPro2800S model, it for those who want to install rooftop and don't want to cut hole.

Rooftop Split AC Features

- ✓ Split roof mounted, do not need to drill hole in the rooftop of cabs.
- ✓ Low vibration and super-quiet operation.
- ✓ Very simple to use and operate the sleeper cab ac unit.
- ✓ Quick system check with self test and diagnostics.
- ✓ Easy to find faults and repair, save more maintaining cost.
- ✓ Lightweight and compact in size
- ✓ Full protection device to keep the truck working normally.
- ✓ LCD remote control, easily to control the temperature.
- ✓ Adopt rotary screw compressors, more quiet, better cooling efficient, reliable, stable, long service life and low power consumption.
- ✓ No engine noise, bring drivers a pleasant working or sleeping time.



Models	CoolPro2800S		
Voltage	DC24V or DC12V		
Installation	Split Roof Mounted		
Cooling Capacity	2800W		
Compressor	Rotary Screw Compressor (24V 850W)		
Refrigerant Oil Type	90-120ml POE68		
Rated Current/DC Inverter	80/40A		
Evaporator Air Volume	200-560m³/h		
Condenser Air Volume	2600m³/h		
Refrigerant	R134a(580g~620g)		
Condenser Size(L*W*H)	840*510*190mm		
Evaporator Size (L*W*H)	460*160*320mm		
Application	All kinds of truck cabs, off road truck cabs, heavy duty truck cabs		









▲ Backwall mounted

E-Clima2600S/CoolPro2800H/CoolPro2800B

Back wall split mounted, very stable working performance, beautiful appearance, easy to install.



Models	E-Clima2600S		
Voltage	DC24V/12V		
Installation	Split mounted		
Cooling Capacity	2600W		
Refrigerant	R134a		
Evaporator Air Flow	450m³/h		
Condenser Air Flow	1400m³/h		
Size (mm)	682*465*192 (condenser) 540*362*165m(evaporator)		
Weight	31KG		
Application	All kinds of truck cabs, off road truck cabs, heavy duty truck cabs		

Models	CoolPro2800H		
Voltage	DC12V/24V		
Installation	Split Back Mounted		
Cooling Capacity	2800W		
Compressor	Rotary Screw Compressor (24V 850W)		
Refrigerant Oil Type	90-120ml POE68		
Rated Current/DC Inverter	8/40A		
Evaporator Air Volume	200-560m³/h		
Condenser Air Volume	2600m³/h		
Refrigerant	R134a (580g ~ 620g)		
Condenser Size(L*W*H)	480*310*400mm		
Evaporator Size (L*W*H)	460*160*320mm		
Application	All kinds of truck cabs, off road truck cabs, heavy duty truck cabs		

Models	CoolPro2800B Plus		
Voltage	DC24V		
Installation	Split Back Mounted		
Cooling Capacity	2800W		
Compressor	Rotary Screw Compressor (24V 850W)		
Refrigerant Oil Type	90-120ml POE68		
Rated Current/DC Inverter	8/40A		
Evaporator Air Volume	200-560m³/h		
Condenser Air Volume	2600m³/h		
Refrigerant	R134a(580g~620g)		
Condenser Size(L*W*H)	480*310*400mm		
Evaporator Size (L*W*H)	460*160*320mm		
Application	All kinds of truck cabs, off road truck cabs, heavy duty truck cabs		







HENAN KINGCLIMA INDUSTRY CO.,LTD ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com W: http://www.climaac.com E: info@kingclima.com E: info@climaac.com

▲ Incab no installation types

GoCooler Series Movable

KingClima Industry is so professional in this field and always devoted to customers demands to provide the best and satiable cooling solutions!

GoCooler series are our innovative products and first into the market. Portable, no need to install, no need to drill a hole, very large cooling capacity, suit for all kinds of cabs!




Items	Go-cooler 2600V-400	Go-cooler 2600V-425	Go-cooler 2600V-580
Rated input voltage	DC24V/12V	DC24V/12V	DC24V/12V
Cooling Capacity(*)	2560	2560	2560
Variable Power:	98W-755W	98W-755W	98W-755W
Indoor Air	700 m³	700 m³	700 m³
Control System	LCD Remote Control	LCD Remote Control	LCD Remote Control
Product Net Wight	18Kg	18Kg	20Kg
Working Refrigerant	R-134a	R-134a	R-134a
Thickness	140mm	180mm	120mm
Product Size(L*W*H)	400*140*580 mm	425*180*580 mm	580*120*580 mm


Features of GoCooler Series of AC

- > Do not change the truck appearance, condenser is not seeing.
- Do not need to drill hole in the rooftop of cabs.
- Movable and portable according to demands, change the place of evaporator.
- > DC12V or 24V for choice, fuel saving.
- Different size of types for choice, solve the various size of truck cab air conditioners solutions.
- > Fast cooling speed, temperature controlled more accurate.
- Condenser and evaporator fans adopt brushless fans, very quiet.
- > Shells adopt unreflected material, which aviod the reflected light disturb drivers.
- Wireless remote control, large LCD, easy to see the temperature, make the driving more safe.





Mainly used for commercial vehicles factory, special vehicles factory, construction equipment, transportation logistics, industry vehicles factory, farm equipment, electric vehicles, boat...






ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@kingclima.com
E: info@kingclima.com
E: info@kingclima.com

Edited in 2019 Version and updated info will be informed in website news.

Welcome To Be King Clima Distributors!!!

We warmly welcome you to visit our factory when you have a business trip in China. It will be more reliable to see and research the products personally.



How to Be King Clima Distributor?

To be King Clima distributor, please feel free to contact us directly and we will send you an email on < Distributors Invited Form>, just finish the form, and you will get reply in 12h.



Please Donload Distributor Invited Form


Of course, we hope our partners have the following experience to make the business high efficient:

- ✓ Commerical Vehicles Repair Shop
- ✓ Bus or Trucks Factory
- ✓ Bus or Trucks Body Builders
- ✓ Commercial HVAC Technogist
- ✓ Vehicles Rebuild Factory
- ✓ Cold Chain Logistics
- ✓ Other brands of cooling equipment distributors

Contact King Clima Tams to ask for the Distributor Form Application

E: info@kingclima.com

W: www.kingclima.com | www.climaac.com





ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com
E: info@kingclima.com
E: info@climaac.com

What Distributors Will Do?



Sell King Clima products in local areas



Provide after sales service (Included into installation, repair and maintaine service



Promote King Clima products in local areas


Service for Distributors

If you are as KingClima distributors, we will to provide the following service have a long-term cooperation.

If you are as KingClima distributors, we will to provide the following service have a long-term cooperation.

- ✓ Stable and reliable products provide.
- ✓ In the guarantee to provide free spare parts.
- ✓ Customized and flexible design to suit for the local market.
- ✓ Trademark support with your own brands in products.
- ✓ Regularly trade fair shows invitation with KingClima teams.
- 📝 Regularly invitation and reception of KingClima factory and study and share product information.
- ✓ To provide a very competitive price compared with local brands.
- ✓ To provide the advise support in local areas.
- ✓ Share the local end customers requirement to distributors.





To pusuit the win-win goals, we welcome distributors to join us. Also we will have a very supported policy to help our distributors to grow their business!

Please welcome to contact us for more details of distributorship matters.

As for now, our distributors are around all over the world. Please feel free to ask us for our distributors contact if you need to buy one ac.





ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com W: http://www.climaac.com

E: info@kingclima.com E: info@climaac.com

Edited in 2019 Version and updated info will be informed in website news.

King Clima Industry Factory Shows


























ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com W: http://www.climaac.com

Edited in 2019 Version and updated info will be informed in website news.

King Clima In the Exhibition Shows

To keep the step of the world, King Clima Teams attend to the every year of CIAAR, IAA and Busworld fair shows, these are the famous and professional shows of cooling and heating solutions all over the world!


It is so important to attend to the fair shows for King Clima teams, and it is a great chance to meet our customers all over the world!



2016 IAA in Shanghai



2019 Busworld in Brussels, European for over one month to attend the exhibition and visit our partners in European countries.



2019 CIAAR in Shanghai, customers are very interested in KingClima new air conditioner model!



ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.kingclima.com
E: info@kingclima.com
E: info@climaac.com

 ${\it Edited in 2019 \ Version \ and \ updated \ info\ will \ be \ informed \ in \ website \ news.}$

Customers Visit

We warmly welcome customers to visit our factory! It is a great chance for customers to visit King Clima industry in the factory. When you see the factory, see the products, you will have a real knowledge to KingClima.



Our distributor from Brazil to visit King Clima in year of 2019



Our partners from South America to visit KingClima in year of 2019





Our good partners from New Zealand visit King Clima factory many times.





ADD: No.107, Pilot Free Trade Zone(Jinshui), Zhengzhou City, China TEL: +86-371-66379266 +86-371-66379166

W: http://www.climaac.com E: info@kingclima.com E: info@climaac.com

King Clima Office Teams



Larry Shao Email: Larry@kingclima.com Email: nichol@kingclima.com ac-parts@kingclima.com



Nichol Nie



Danna Wu



Jackie Wang Email: sales2@kingclima.com





Aimee Ren



Fiona Du









James Song



Amelia Liu



Essie Pang



Jessica Chen

Drive your Value

Henan King Clima Industry Co.,Ltd

Best Cooling and Heating Solutions

W: www.kingclima.com | www.climaac.com

E: info@kingclima.com | info@climaac.com | technical@climaac.com | aftermarket@climaac.com

